

Norme sulle filettature

Filettatura M secondo EN 60423, IEC 423 o BS 6053 ISO 68, DIN 13			Filettatura PG secondo DIN 40430			Filettatura UNEF secondo ANSI/ASME B 1.1			Filettatura NPT secondo ANSI/ASME B 1.20.1			Filettatura G secondo JIS B 0204, DIN ISO 228-1 o BS 2779					
Filettatura metrica			Filettatura PG			Filettatura UNEF			Filettatura NPT			Filettatura CTG					
M	Ø esterno	Passo	PG	Ø esterno	Passo	UNEF	Ø esterno		Passo	NPT	Ø esterno	Passo	CTG	R	Ø esterno	Passo	
8	8	1	7	12,5	1,27	1/2" - 28	0,5000		12,700	0,9070	1/4"	13,716	1,411		1/4"	13,16	1,340
10	10	1	9	15,2	1,41	5/8" - 24	0,6250		15,875	1,0580	3/8"	17,145	1,411	G 16	1/2"	20,96	1,810
12	12	1,5	11	18,6	1,41	3/4" - 20	0,7500		19,050	1,2700	1/2"	21,336	1,814	G 22	3/4"	26,44	1,810
16	16	1,5	13,5	20,4	1,41	7/8" - 20	0,8750		22,225	1,2700	3/4"	26,670	1,814	G 28	1"	33,25	2,310
20	20	1,5	16	22,5	1,41	15/16" - 20	0,9375		23,813	1,2700	1"	33,401	2,208	G 36	1 1/4"	41,91	2,208
25	25	1,5	21	28,3	1,588	1" - 20	1,0000		25,400	1,2700	1 1/4"	42,164	2,208	G 42	1 1/2"	47,80	2,310
32	32	1,5	29	37,0	1,588	1 3/16" - 18	1,1875		30,163	1,4110	1 1/2"	48,260	2,208	G 54	2"	59,61	2,310
40	40	1,5	36	47,0	1,588	1 7/16" - 18	1,4375		36,513	1,4110	2"	60,325	2,208				
50	50	1,5	42	54,0	1,588	1 3/4" - 18	1,7500		44,450	1,7205							
63	63	1,5	48	59,3	1,588	2" - 18	2,0000		50,800	1,9706							

