

# CLAMP 211

SKU: 2119230

T-bolt clamp for heavy-duty hoses with a smooth outer wall, quick and easy to fit, reusable.



## Durability and standards

Standards:

REACH according to --> Technology /  
Technical Information / REACH

conforms to RoHS guideline

Clamping range min.	Clamping range max.	Max. production length	Weight	Article Number
[ mm ]	[ mm ]	[ m ]	[ kg ]	
17 mm	19 mm	0 m	0.03 kg	21100219230
20 mm	22 mm	0 m	0.03 kg	21100239230
23 mm	25 mm	0 m	0.03 kg	21100259230
26 mm	28 mm	0 m	0.03 kg	21100299230
29 mm	31 mm	0 m	0.03 kg	21100319230
31 mm	34 mm	0 m	0.03 kg	21100349230
36 mm	39 mm	0 m	0.06 kg	21100409230
40 mm	43 mm	0 m	0.0437 kg	21100439230
44 mm	47 mm	0 m	0.09 kg	21100479230
48 mm	51 mm	0 m	0.06 kg	21100519230
52 mm	55 mm	0 m	0.07 kg	21100559230
56 mm	59 mm	0 m	0.07 kg	21100599230
60 mm	63 mm	0 m	0.07 kg	21100639230
64 mm	67 mm	0 m	0.07 kg	21100689230
68 mm	73 mm	0 m	0.08 kg	21100739230
74 mm	79 mm	0 m	0.15 kg	21100799230
80 mm	85 mm	0 m	0.15 kg	21100859230
86 mm	91 mm	0 m	0.08 kg	21100919230
92 mm	97 mm	0 m	0.1 kg	21100979230
98 mm	103 mm	0 m	0.1 kg	21101049230
104 mm	112 mm	0 m	0.17 kg	21101129230
113 mm	121 mm	0 m	0.1 kg	21101219230
122 mm	130 mm	0 m	0.1873 kg	21101309230
131 mm	139 mm	0 m	0.15 kg	21101409230
140 mm	148 mm	0 m	0.18 kg	21101509230
149 mm	161 mm	0 m	0.18 kg	21101629230
162 mm	174 mm	0 m	0.19 kg	21101749230
175 mm	187 mm	0 m	0.2 kg	21101879230
188 mm	200 mm	0 m	0.2 kg	21102009230

Overpressure and underpressure are recommended operating limits; products can be subjected to higher loads on request. The bend radius is measured along the inside of the hose bend. Subject to technical changes. All specifications are general guide values and refer to 20 °C. Further technical information: [www.norres-baggerman.com](http://www.norres-baggerman.com).

# CLAMP 211

SKU: 2119230

Clamping range min.	Clamping range max.	Max. production length	Weight	Article Number
[ mm ]	[ mm ]	[ m ]	[ kg ]	
201 mm	213 mm	0 m	0.25 kg	21102139230
214 mm	226 mm	0 m	0.25 kg	21102269230
227 mm	239 mm	0 m	0.25 kg	21102399230
240 mm	252 mm	0 m	0.26 kg	21102529230