CLAMP 208

SKU: 2080000

Hose clamp for light-duty hoses with smooth outer wall, quick and easy to fit, reusable.



Material and color

Material body

· Galvanized steel

Material bridge

· Housing: Galvanized steel, Screw: Galvanized steel

Durability and standards

Standards

· REACH (EG 1907/2006), RoHS

Other

Suitable for hose

· AIRDUC®: 355 + 356 (AS/ FOOD / INOX FOOD-AS / HT-PUR / EC); PROTAPE®: 335; 370 + 371; 371 HT; NORPLAST®: 383 + 388; 385 (AS / C-AS); NORFLEX®: 401 + 441 FOOD; 401 WELDING; 441 ROBOTIC; 440 HIGH PRESSURE; 400 + 405 + 407 + 408 + 440 + 448; SuperFlex: 372; EVA: 373; 373 (AS / EC); NEO: 390 (ONE / TWO); SIL: 391 (ONE / TWO)

All information in this technical data sheet has been carefully reviewed; however, no warranty or liability can be accepted for the accuracy, completeness, or currentness of the information provided. Positive pressure and vacuum are operating limit values at 68 °F (20 °C). The bend radius is measured on the inside of the hose bend. Subject to technical changes.

CLAMP 208

SKU: 2080000

Weight [kg]	Article Number
0.02	20800100000
0.02	20800120000
0.02	20800160000
0.02	20800200000
0.02	20800250000
0.02	20800320000
0.03	20800400000
0.03	20800500000
0.03	20800600000
0.03	20800700000
0.03	20800800000
0.04	20800900000
0.04	20801000000
0.04	20801100000
0.04	20801200000
0.04	20801300000
0.04	20801400000
0.05	20801500000
0.05	20801600000
0.05	20801700000
0.05	20801800000
0.06	20801900000
0.06	20802000000
0.06	20802100000
0.06	20802200000
0.06	20802300000
0.07	20802400000
0.07	20802500000
0.07	20802600000
0.07	20802700000
0.07	20802800000
0.07	20802900000
0.08	20803000000
0.08	20803100000
0.08	20803200000
0.08	20803300000
0.09	20803400000
0.09	20803500000
0.09	20803600000
0.09	20803700000
0.09	20803800000
0.1	20804000000

All information in this technical data sheet has been carefully reviewed; however, no warranty or liability can be accepted for the accuracy, completeness, or currentness of the information provided. Positive pressure and vacuum are operating limit values at 68 °F (20 °C). The bend radius is measured on the inside of the hose bend. Subject to technical changes.

CLAMP 208

SKU: 2080000

Weight [kg]	Article Number
0.1	20804200000
0.11	20804400000
0.11	20804500000
0.11	20804600000
0.11	20804800000
0.12	20805000000

All information in this technical data sheet has been carefully reviewed; however, no warranty or liability can be accepted for the accuracy, completeness, or currentness of the information provided. Positive pressure and vacuum are operating limit values at 68 °F (20 °C). The bend radius is measured on the inside of the hose bend. Subject to technical changes.